



MARINURE® SEAWEED FOLIAR SPRAY

Reg. No.: K9813 Act 36 of 1947

FERTILISER GROUP 1

PRODUCT DESCRIPTION

MARINURE® SEAWEED FOLIAR SPRAY is a seaweed foliar spray with added trace elements.

ACTIVE INGREDIENTS

Iron (Fe)	0.73 g/kg	0.73 g/L
Manganese (Mn)	0.25 g/kg	0.25 g/L
Boron (B)	0.20 g/kg	0.25 g/L
Zinc (Zn)	0.19 g/kg	0.19 g/L
Copper (Cu)	0.02 g/kg	0.02 g/L
Molybdenum (Mo)	0.02 g/kg	0.02 g/L
*Contain seaweed extract		
Specific Gravity (SG) at 20°C	1.01	

Net Mass / Volume

1 L

REGISTRATION HOLDER

Metson@Home

2012/082220/07

51 Verdun Road, Kya Sands, 2196

Tel: +27 11 792 8968

EMERGENCY CONTACT NUMBER

0861 Metson (638 766)

IN CASE OF POISONING

Contact the National Poison Centre

+27 86 155 5777

BATCH NUMBER

UN Number: Not regulated

HAZARD STATEMENTS

- N/A



MARINURE® SEAWEED FOLIAR SPRAY

PRECAUTIONARY STATEMENTS

- Poisonous when swallowed.
- Wear protective eye protection.
- Do not eat, drink, or smoke when mixing or using this product.
- Do not inhale dust.
- Remove contaminated clothing immediately.
- IF ON SKIN: wash with plenty of soap and water.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and continue rinsing.
- In case of poisoning: CALL A DOCTOR AND MAKE THIS LABEL AVAILABLE TO HIM/HER.

STORAGE CONDITIONS

- Store in a well-ventilated area.
- Keep container tightly closed.
- Destroy empty container by perforating and flattening and dispose of container in a safe way.
- Do not store with food, feed, or other materials for human consumption.
- Keep out of reach of children.
- Recommended storage temperature below 40°C.
- Avoid freezing.
- Do not store diluted product.
- Store containers evenly on a sturdy, intact pallet.

DIRECTIONS FOR USE: Use only as directed

- **MARINURE® SEAWEED FOLIAR SPRAY** is compatible with macro (N/P/K) and micro-element products. If in doubt it is advisable to check compatibility by mixing a small quantity first or consult your nearest representative.
- **MARINURE® SEAWEED FOLIAR SPRAY** is suitable for all types of spraying and watering systems.
- **MARINURE® SEAWEED FOLIAR SPRAY** should be applied before and after stress periods in order to assist with the recovery of the plant.
- Shake well before use.
- Always dilute **MARINURE® SEAWEED FOLIAR SPRAY** with water before using.
- Use 1-2 teaspoon (5-10 ml) per 1 L of water per m².
- Apply every 14 – 21 days.

DISCLAIMER / CONDITIONS OF SALE

This product is manufactured and tested to specific standards and are sold in good faith. However, no guarantee is given as conditions and methods under which they are used are beyond the control of the manufacturer. Before using, the user should determine the suitability of the product for his/ her intended use and the user assumes the risk and liability in connection therewith.

MARINURE® SEAWEED FOLIAR SPRAY



Reg.No: K9813 Act 36 of 1947
FERTILISER GROUP 1

PRODUCT DESCRIPTION:

MARINURE® SFS is a double strength seaweed foliar spray.

ACTIVE INGREDIENTS:

Iron (Fe)	0.73 g/kg	0.73 g/L
Manganese (Mn)	0.25 g/kg	0.25 g/L
Boron (B)	0.20 g/kg	0.20 g/L
Zinc (Zn)	0.19 g/kg	0.19 g/L
Copper (Cu)	0.02 g/kg	0.02 g/L
Molybdenum (Mo)	0.02 g/kg	0.02 g/L

*CONTAINS SEAWEED EXTRACT

Specific Gravity (SG) at 20°C 1.01

NET MASS VOLUME **20 L**

REGISTRATION HOLDER:

Metson@Home
CK 2012/082220/07
51 Ventun Road, Wyn Sands, 2196
Tel: +27 11 792 0948



EMERGENCY CONTACT: 0861 Metson (038 766)

IN CASE OF POISONING: Contact the Cape Town Poison Centre
Tel: +27 86 155 5777



Batch No:
Pack Date:
Expiry Date:

UN Number: Not Regulated



WARNING:
Keep away from food and feed.
Store in a cool dry place out of reach
from children and/or untrained
persons and animals.

HAZARD STATEMENTS:

- N/A

PRECAUTIONARY STATEMENTS:

- Poisonous when swallowed.
- Wear protective eye protection.
- Do not eat, drink, or smoke when mixing or using this product.
- Do not inhale dust.
- Remove contaminated clothing immediately.
- IF ON SKIN: wash with plenty of soap and water.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and continue rinsing.
- In case of poisoning: CALL A DOCTOR AND MAKE THIS LABEL AVAILABLE TO HIM/HER.
- Destroy empty container by perforating and flattening and dispose of container in a safe way.

STORAGE DIRECTIONS:

- Store in a well-ventilated area.
- Keep container tightly closed.
- Destroy empty container by perforating and flattening and dispose of container in a safe way.
- Do not store with food, feed or other materials for human consumption.
- Keep out of reach of children.
- Recommended storage temperature below 40°C. Avoid freezing.
- Do not store diluted product.
- Store containers evenly on a sturdy, intact pallet.

⚠ Shake well before use

DIRECTIONS FOR USE: Use only as directed.

- **MARINURE® SFS** is compatible with macro (N/P/K) and micro-element products. If in doubt it is advisable to check compatibility by mixing a small quantity first or consult your nearest representative.
- **MARINURE® SFS** is suitable for all types of spraying and watering systems.
- **MARINURE® SFS** should be applied before and after stress periods in order to assist with the recovery of the plant.
- Always dilute **MARINURE® SFS** with water before using.
- Use 1-2 teaspoon (5-10 ml) per 1 litre of water per m².
- Apply every 14 – 21 days.

DISCLAIMER / CONDITIONS OF SALE:

This product is manufactured and tested to specific standards and is sold in good faith. However, no guarantee is given as conditions and methods under which they are used are beyond the control of the manufacturer. Before using, the user should determine the suitability of the product for his/her intended use and the user assumes the risk and liability in connection therewith.