



PRODUCT DATA SHEET

NUTRIGRO SPRINKLES K

Reg No: K9815 Act 36
of 1947

FERTILISER GROUP 1

PRODUCT DESCRIPTION

NUTRIGRO SPRINKLES K is a water-soluble foliar feed that may also be used as a fertiliser to supplement soil applications, especially where high levels of potassium is needed.

APPLICATION TABLE

Nitrogen (N)	150.00 g/kg
Phosphorus (P)	44.00 g/kg
Potassium (K).....	283.00 g/kg
Magnesium (Mg).....	6.70 g/kg
Sulphur (S)	6.00 g/kg
Zinc (Zn)*	1.00 g/kg
Iron (Fe)*	0.70 g/kg
Boron (B)	0.50 g/kg
Copper (Cu)*	0.45 g/kg
Manganese (Mn)	0.30 g/kg
Molybdenum (Mo)	0.01 g/kg

* EDTA Chelated

NET MASS / VOLUME

5 kg

REGISTRATION HOLDER

Metson@Home

2012/082220/07

51 Verdun Road, Kya Sand 2196

TEL: +27 11 792 8968

EMERGENCY CONTACT NUMBER

0861 638 706

IN CASE OF POISONING

Contact the Cape Town Poison Centre

+27 86 155 5777

Pictograms



WARNING

Batch Number

UN Number: Not regulated

Growing with Metson/ Groei saam met ons



PRODUCT DATA SHEET

NUTRIGRO SPRINKLES K

HAZARD STATEMENTS

- May intensify fire; oxidizer.
- Harmful if swallowed.
- Harmful if contact with skin.
- Causes skin irritation.
- Causes serious eye irritation.
- Harmful if inhaled. May cause respiratory irritation.
- Very toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

- This product contains Boron. Its misuse may cause serious damage to plants.
- Poisonous when swallowed.
- Wear protective eye-wear.
- Do not eat, drink, or smoke when mixing or using this product.
- Do not inhale dust or vapour.
- Remove contaminated clothing immediately.
- IF ON SKIN: wash with plenty of soap and water.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and continue rinsing.
- In case of poisoning: CALL A DOCTOR AND MAKE THIS LABEL AVAILABLE TO HIM/HER.

STORAGE CONDITIONS

- Store in a well-ventilated area.
- Keep container tightly closed.
- Destroy empty container by perforating and flattening. Dispose of container in a safe way.
- Do not store with food, feed, or other materials for human consumption.
- Keep out of reach of children.
- Recommended storage temperature below 40°C.
- Avoid freezing.
- Do not store diluted product.
- Store containers evenly on a sturdy, intact pallet.

DIRECTIONS FOR USE: Use only as directed

- Do not apply as a concentrate to plants under glass and polyethene, as well as to plants experiencing heat stress. It is advisable to contact an agronomist to ensure optimized and timeous applications.
- Shake bag well before use. This product contains a food-grade dye that may colour your hands.
- Conduct a compatibility test with other spray materials such as foliar feeds before applying.
- Avoid mixing **NUTRIGRO SPRINKLES K** with highly alkaline materials such as Bordeaux Mixture and Lime Sulphur.
- Apply **NUTRIGRO SPRINKLES K** in adequate amounts of water to ensure complete coverage of plants when applied as a foliar spray.
- Follow the standard tank mixing procedures.



PRODUCT DATA SHEET

NUTRIGRO SPRINKLES K

Refer to application table.

Bag includes measuring spoon and scoop.

APPLICATION TABLE

Flowering Plants Drench, irrigation, foliar feeding, soil applied and broadcast /dry application. ½ - 1 Scoop (30 – 60 g) with 3 L of water per 3 – 4 m ² . Apply at 10 -14 day intervals.	Pot Plants Small: 9 -15 cm (circumference) Dissolve 1 spoon (4 g) in 500 ml of water. Apply at 10 -14 day intervals. Medium: 16.5-23 cm (circumference) Dissolve 2 spoons (8 g) in 500 ml of water. Apply at 10–14-day intervals. Large: 25-50 cm (circumference) Dissolve 3 spoons (12 g) in 500 ml of water. Apply at 10–14-day intervals.
Lawns, Roses, Seedlings and Shrubs Drench, irrigation, foliar feeding, soil applied and broadcast dry application. ½ - 1 Scoop (30 – 60 g) with 3 L of water per 3 – 4 m ² . Apply at 10–14-day intervals.	Vegetable Crops: Cale, Cucumbers, Green Beans, Melons, Pumpkins, Tomatoes and Potatoes. Drench, irrigation, foliar feeding, soil applied and broadcast/dry application. ½ - 1 Scoop (30 – 60 g) with 3 L of water per 3 – 4 m ² . Apply at 10 -14-day intervals until flowering.
Seeding Beds and Trays Drench, irrigation, foliar feeding, soil applied and broadcast dry application. ½ Scoop (30 g) with 3 L of water per 3 – 4 m ² . Apply at 7-day intervals.	

DISCLAIMER / CONDITIONS OF SALE

This product is manufactured and tested to specific standards and are sold in good faith. However, no guarantee is given as conditions and methods under which they are used are beyond the control of the manufacturer. Before using, the user should determine the suitability of the product for his/ her intended use and the user assumes the risk and liability in connection therewith.

Growing with Metson/ Groei saam met ons

PRODUCT DATA SHEET

NUTRIGRO SPRINKLES K



Reg.No: K9815 Act 36 of 1947
FERTILISER GROUP 1

PRODUCT DESCRIPTION:

NUTRIGRO SPRINKLES K is a water-soluble foliar feed that may also be used as a fertiliser to supplement soil applications, especially where high levels of potassium is needed.

COMPOSITION:

Nitrogen (N)	150.00 g/kg
Phosphorus (P)	44.00 g/kg
Potassium (K)	283.00 g/kg
Magnesium (Mg)	6.70 g/kg
Sulphur (S)	6.00 g/kg
Zinc (Zn)*	1.00 g/kg
Iron (Fe)*	0.70 g/kg
Boron (B)	0.50 g/kg
Copper (Cu)*	0.45 g/kg
Manganese (Mn)	0.30 g/kg
Molybdenum (Mo)	0.01 g/kg

* EDTA Chelated

NET MASS
VOLUME **1 kg**

REGISTRATION HOLDER: Metson@Home
CK 2012/082220/07
P.O. Box 1066, Greta, 2318
Tel: +27 11 792 8960
0866 628 706
EMERGENCY CONTACT:
IN CASE OF POISONING:
Contact the Cape Town Poisons Centre
Tel: +27 06 155 5777



WARNING



Keep this
Product Safe

UN Number: Not Regulated

HAZARD STATEMENTS:

- May be severely irritating to eyes.
- Harmful if swallowed.
- Harmful if contact with skin.
- Causes skin irritation.
- Causes serious eye irritation.
- Harmful if inhaled. May cause respiratory irritation.
- May lead to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS:

- This product contains Boron. Its misuse may cause serious damage to plants.
- Poisonous when swallowed.
- Wear protective eye-wear.
- Do not eat, drink, or smoke when mixing or using this product.
- Do not inhale dust or vapour.
- Remove contaminated clothing immediately.
- IF ON SKIN: Wash with plenty of soap and water.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and continue rinsing.
- In case of poisoning: CALL A DOCTOR AND MAKE THIS LABEL AVAILABLE TO HIM/HER.

STORAGE CONDITIONS:

- Store in a well-ventilated area.
- Keep container tightly closed.
- Destroy empty container by perforating and flattening and dispose of container in a safe way.
- Do not store with food, feed or other materials for human consumption.
- Keep out of reach of children.
- Recommended storage temperature below 40°C. Avoid freezing.
- Do not store diluted product.
- Store containers evenly on a sturdy intact pallet.

DIRECTIONS FOR USE:

- Use only as directed
- Do not apply as a concentrate to plants under glass and polyethylene, as well as to plants experiencing heat stress. It is advisable to contact an agronomist to ensure optimized and timeous applications.
- Shake bag well before use. This product contains a food-grade dye that may colour your hands.
- Conduct a compatibility test with other spray materials such as foliar feeds before applying.
- Avoid mixing Nutrigo Sprinkles K with highly alkaline materials such as Bordeaux Mixture and Lime Sulphur.
- Apply Nutrigo Sprinkles K in adequate amounts of water to ensure complete coverage of plants when applied as a foliar spray.
- Follow the standard tank mixing procedures.

Refer to application table.

Bag includes measuring spoon and scoop

APPLICATION TABLE:

FLOWERING PLANTS	POT PLANTS
Drench, irrigation, foliar feeding, soil applied and broadcast /dry application.	Small: 9 -15 cm (circumference) Dissolve 1 spoon (4 g) in 500 ml of water.
1/2 - 1 Scoop (30 - 60 g) with 3 L of water per 3 - 4 m ² .	Apply at 10 -14 day intervals.
Apply at 10 -14 day intervals.	Medium: 16.5-23 cm (circumference) Dissolve 2 spoons (8 g) in 500 ml of water.
LAWNS, ROSES, SEEDLINGS AND SHRUBS	Apply at 10 -14 day intervals.
Drench, irrigation, foliar feeding, soil applied and broadcast dry application.	Large: 25-50 cm (circumference) Dissolve 3 spoons (12 g) in 500 ml of water.
1/2 - 1 Scoop (30 - 60 g) with 3 L of water per 3 - 4 m ² .	Apply at 10 -14 day intervals.
Apply at 10 -14 day intervals.	VEGETABLE CROPS
SEEDING BEDS AND TRAYS	Cole, Cucumbers, Green Beans, Melons, Pumpkins, Tomatoes and Potatoes.
Drench, irrigation, foliar feeding, soil applied and broadcast dry application.	Drench, irrigation, foliar feeding, soil applied and broadcast/dry application.
1/2 Scoop (30 g) with 3 L of water per 3 - 4 m ² .	1/2 - 1 Scoop (30 - 60 g) with 3 L of water per 3 - 4 m ² .
Apply at 7-day intervals.	Apply at 10 -14 day intervals until flowering.

DISCLAIMER / CONDITIONS OF SALE:

This product is manufactured and tested to specific standards and is sold in good faith. However, no guarantee is given as conditions and methods under which they are used are beyond the control of the manufacturer. Before using, the user should determine the suitability of the product for his/ her intended use and the user assumes the risk and liability in connection therewith.

Growing with Metson/ Groei saam met ons