



RRHIZ-UP™

Reg No: M319 Act 36 of 1947

FERTILISER GROUP 3

PRODUCT DESCRIPTION

RRHIZ-UP™ is a granular Arbuscular Mycorrhizal fungal product that forms a symbiotic relationship with the roots of most flowering plants, herbs, vegetables and agricultural crops.

Propagules.....	800 / 10 g
Spore.....	70 / 10 g

Net Mass

25 Kg

REGISTRATION HOLDER

Metson Biologicals (Pty) Ltd
2010/006380/07

51 Verdun Road, Kya Sands, 2196

Tel: +27 11 792 8968

EMERGENCY CONTACT NUMBER

0861 Metson (638 766)

IN CASE OF POISONING

Contact the National Poison Centre
+27 86 155 5777

GHS (Pictogram)



WARNING

BATCH NUMBER:

UN Number: Not regulated

HAZARD STATEMENTS

- May cause respiratory irritation.

Growing with Metson/ Groei saam met ons

RRHIZ-UP™

PRECAUTIONARY STATEMENTS:

- Poisonous when swallowed
- Wear protective eye protection.
- Do not eat, drink, or smoke when mixing or using this product.
- Do not inhale dust.
- Remove contaminated clothing immediately.
- IF ON SKIN: wash with plenty of soap and water
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and continue rinsing.
- In case of poisoning: CALL A DOCTOR AND MAKE THIS LABEL AVAILABLE TO HIM/HER.

STORAGE CONDITIONS

- Store in a well-ventilated area. Keep container tightly closed.
- Keep out of direct sunlight.
- Destroy empty container by perforating and flattening and dispose of container in a safe way.
- Store away from food and feedstuffs.
- Prevent contamination of food, feedstuffs, drinking water, eating utensils.
- Keep out of reach of children.

DIRECTIONS FOR USE:

- Do not apply directly to seeds.
- Depending on the crop, allow for the feeder roots to make contact with **RRHIZ-UP**.
- **RRHIZ-Up** is suitable for use on most plants and crops, however it is not suitable for all.
- Contact your nearest Metson representative or consult with your agronomist if not sure.
- Indigenous source of *Funneliforms coronatum*, *Funneliformis coronatum*, *Funneliformi mosseae*, *Claroideoglomus etunicatum*, *Rhizophagus irregularis*.

CLAIMS:

- Increased root and shoot mass.
- Increased shoot height.
- Increased yield and flowering.

APPLICATION DETAILS:

Crop	Application Rate
Legumes (Soybeans, Peas, Beans, Chickpea, Lentils and Lupin)	25 – 50 kg/ha
Potatoes	25 - 50 kg/ha
Ornamentals (Marigold)	25 g /m ² OR Wholesale nursery (seedlings & cuttings) : 0.1 – 0.5 g per seed/cutting. Mix well into growing medium or soil. Water after covering. 20 kg RRHIZ-UP can be mixed into 1 m ³ of soil; (2.5% of growth medium). Transplanting Seedlings: Mix 5 g per seedling placed at the bottom of the planting hole.

RRHIZ-UP™

DISCLAIMERS / CONDITIONS OF SALE

This product is manufactured and tested to specific standards and are sold in good faith. However, no guarantee is given as conditions and methods under which they are used are beyond the control of the manufacturer. Before using, the user should determine the suitability of the product for his/ her intended use and the user assumes the risk and liability in connection therewith.



Reg No: M319 Act 36/1947
FERTILISER GROUP 3

PRODUCT DESCRIPTION:

RRHIZ-UP® is a granular Arbuscular Mycorrhizal fungal product that forms a symbiotic relationship with the roots of most flowering plants, herbs, vegetables and agricultural crops.

ACTIVE INGREDIENTS:

Funneliformis coronatum
Funneliformis mosseae
Claroideoglomus etunicatum
Rhizophagus irregularis

800 Propagules/ 10 g
70 Spores / 10g

NET MASS
VOLUME **5 kg**

REGISTRATION HOLDER: Metson (Pty) Ltd
2313/100480/09
51 Verduyn Road, Gys (Gardens), 1156
Tel: +27 21 750 4940
EMERGENCY CONTACT: ARII Traker (M3)
Tel: +27 800 5947 or
0800 Metson (0800 Met)
ON CASE OF POISONING: Contact the National Poison Centre
Tel: +27 85 135 0777



WARNING

SHELF LIFE 12 MONTHS

Batch No:
Production Date:



UN Number: Not Segregated



WARNING:

Keep away from food and feeds. Store in a cool dry place out of reach from children and/or uninformed persons and animals.

HAZARD STATEMENT:

- May cause respiratory irritation.

PRECAUTIONARY STATEMENTS:

- Poisonous when swallowed.
- Wear protective eye protection.
- Do not eat, drink, or smoke when mixing or using this product. Do not inhale dust.
- Remove contaminated clothing immediately.
- IF ON SKIN: wash with plenty of soap and water.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and continue rinsing.
- In case of poisoning: CALL A DOCTOR AND MAKE THIS LABEL AVAILABLE TO HIM/HER.

STORAGE CONDITIONS:

- Store in a well-ventilated area. Keep bag tightly closed.
- Destroy empty container by perforating and flattening and dispose of container in a safe way.
- Store away from food and feedstuffs.
- Prevent contamination of food, feedstuffs, drinking water, eating utensils.

CLAIMS:

- Increased root and shoot mass.
- Increased shoot height.
- Increased yield and flowering.

DIRECTIONS FOR USE:

- Do not apply directly to seeds.
- Depending on the crop, allow for the feeder roots to make contact with **RRHIZ-UP®**.
- **RRHIZ-UP®** is suitable for use on most plants and crops, however it is not suitable for all.
- Contact your nearest Metson representative or consult with your agronomist if not sure.
- Indigenous source of *Funneliformis coronatum*, *Funneliformis mosseae*, *Claroideoglomus etunicatum*, *Rhizophagus irregularis*.

APPLICATION DETAILS:

Crop	Application Rate
Legumes (Soybeans, Peas, Beans, Chickpea, Lentils and Lupin)	25 - 50 kg/ha
Potatoes	25 - 50 kg/ha
Ornamentals (Marigold)	25 g /m ² OR Wholesale nursery (seedlings & cuttings) : 0.1 - 0.5 g per seed/cutting. Mix well into growing medium or soil. Water after covering. 25 kg RRHIZ - UP® can be mixed into 1 m ³ of soil; (2.5% of growth medium). Transplanting Seedlings: Mix 5 g per seedling placed at the bottom of the planting hole.

DISCLAIMERS / CONDITIONS OF SALE:

This product is manufactured and tested to specific standards and is sold in good faith. However, no guarantee is given as conditions and methods under which they are used are beyond the control of the manufacturer. Before using, the user should determine the suitability of the product for his/ her intended use and the user assumes the risk and liability in connection therewith.

Growing with Metson/ Groei saam met ons