



PRODUCT DATA SHEET (PDS)

TETRA S®

Reg. No.: M54 Act 36 of 1947

PRODUCT DESCRIPTION

TETRA S® is a seaweed foliar spray.

CLAIMS

- Increased Root mass.
- Increased Shoot mass.
- Increases Yield.

ACTIVE INGREDIENTS

Phosphorus (P)	2.50 g/kg	2.65 g/L
Potassium (K)	15.40 g/kg	16.32 g/L
Seaweed Extract	90.00 g/kg	95.40 g/L
Specific Gravity (SG) at 20°C	1.06	
pH (10% Solution)	6.0-7.0	

Extract from Brown Seaweed (*Ascophyllum nodosum*) that contains Amino acids, Macro- & Micro- Elements.

Net Mass / Volume

20 L

REGISTRATION HOLDER

Metson Manufacturing CC

1999/059914/23

51 Verdun Road, Kya Sands, 2196

Tel: +27 11 792 8968

EMERGENCY CONTACT NUMBER

0861 Metson (638 766)

IN CASE OF POISONING

Contact the National Poison Centre

+27 86 155 5777

GHS (Pictogram)



DANGER

BATCH NUMBER

UN Number: Not regulated



PRODUCT DATA SHEET (PDS)

TETRA S®

HAZARD STATEMENTS

- May cause cancer.

PRECAUTIONARY STATEMENTS

- Poisonous when swallowed.
- Wear eye protection.
- Do not eat, drink, or smoke when mixing or using this product.
- Do not inhale dust/mist.
- Remove contaminated clothing immediately.
- IF ON SKIN: Wash with cold water.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and continue rinsing.
- In case of poisoning: CALL A DOCTOR AND MAKE THIS LABEL AVAILABLE TO HIM/HER.

STORAGE CONDITIONS

- Store in a well-ventilated area.
- Keep container tightly closed.
- Destroy empty container/bag by perforating and flattening and dispose of container in a safe way.
- Store away from food, feed and other materials for human consumption.
- Keep out of reach of children.
- Recommended storage temperature below 40°C. Avoid Freezing.
- Do not store diluted product.
- Store containers/bags evenly on a sturdy, intact pallet.

DIRECTIONS FOR USE: Use only as directed

- Safe to use.
- **TETRA S®** is suitable for use with a knapsack, a boom/tractor sprayer, drip irrigation, pivots and aerial application.
- **TETRA S®** should be applied after stress periods in order to assist the recovery of the plant.
- Keep container tightly closed.
- Recommended storage temperature below 40°C. Avoid freezing.
- Do not store diluted product.
- Always dilute **TETRA S®** with water before using.

APPLICATION DETAILS

CROP	DOSAGE	APPLICATION DETAILS
Dry beans, Groundnuts, & Soya	500 ml/ha	<u>First application:</u> Dry beans: V1 Groundnuts: V1 Soya: VC-V1
	500 ml/ha	<u>Second application:</u> Dry beans: R1-R3 Groundnuts: R1-R3 Soya: V3-R1
Grapes (Sultana)	0.75L/ha	<u>Three foliar applications</u> 1. 3-4 mm berry size 2. 5-6 mm berry size 3. 9-10 mm berry size Apply with 1000 l water / ha
Maize	500 ml/ha	In furrow at plant &/or post-emergence at 4-8 leaf stage
Wheat	500 ml/ha	4-8 leaf stage
	500 ml/ha	Flag leaf stage



PRODUCT DATA SHEET (PDS)

TETRA S®

DISCLAIMER/CONDITIONS OF SALE

This product is manufactured and tested to specific standards and is sold in good faith. However, no guarantee is given as conditions and methods under which they are used are beyond the control of the manufacturer. Before using, the user should determine the suitability of the product for his/ her intended use and the user assumes the risk and liability in connection therewith.



Reg. No.: M 54 Act 36 of 1947
GROUP 3 FERTILISER

PRODUCT DESCRIPTION:

TETRA S® is a natural enriched seaweed extract derived from *Ascophyllum Nodosum* to be used as a soil drench or foliar spray.

CLAIMS:

- Increased Root mass
- Increased Shoot mass
- Increases Yields

ACTIVE INGREDIENTS:

Phosphorous (P)	2.50 g/kg	2.65 g/L
Potassium (K)	15.40 g/kg	16.32 g/L
Seaweed Extract	90.00 g/kg	94.40 g/L

Specific Gravity (SG) at 20°C 1.06
pH (10% Solution) 6.0-7.0

Extract from Brown Seaweed (*Ascophyllum nodosum*) that contains Amino acids, Macro- & Micro- Elements.

NET MASS **20 L**
VOLUME

REGISTRATION NUMBER:
Metson Manufacturing CC
2009/000945/20
31 Verbaan Road, Kwa-Sanda, 2195
EMERGENCY CONTACT: Metson Metson (020 7166)
IN CASE OF POISONING: Contact the National Poisons Centre
Tel: +27 06 155 0777



**DANGER
WARNING**



Batch No:
Production:



WARNING: Keep away from food and feed. Store in a cool, dry place out of reach of children and/or animals.

UN Number: Not Regulated

HAZARD STATEMENTS:

- May cause Cancer.

PRECAUTIONARY STATEMENTS:

- Poisonous when swallowed.
- Wear eye protection.
- Do not eat, drink, or smoke when mixing or using this product.
- Do not inhale dust/mist.
- Remove contaminated clothing immediately.
- IF ON SKIN: Wash with cold water.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and continue rinsing.
- In case of poisoning: CALL A DOCTOR AND MAKE THIS LABEL AVAILABLE TO HIM/HER.

STORAGE CONDITIONS:

- Store in a well-ventilated area.
- Keep container/bag tightly closed.
- Destroy empty container/bag by perforating and flattening and dispose of container/bag in a safe way.
- Do not store with food, feed or other materials for human consumption.
- Keep out of reach of children.
- Recommended storage temperature below 40°C. Avoid freezing.
- Do not store diluted product.
- Store containers/bag evenly on a sturdy, intact pallet.

⚡ Shake well before use

DIRECTIONS FOR USE: Use only as directed.

- Safe to use.
- **TETRA S®** is suitable for use with a knapsack, a boom/tractor sprayer, drip irrigation, pivots and aerial application.
- **TETRA S®** should be applied after stress periods in order to assist the recovery of the plant.
- Keep container tightly closed.
- Recommended storage temperature below 40°C. Avoid freezing.
- Do not store diluted product.
- Always dilute **TETRA S®** with water before using.

APPLICATION DETAILS:

CROP	DOSAGE	APPLICATION DETAILS
Dry beans, Groundnuts, & Soya	500 ml/ha	First application: Dry beans: V1 Groundnuts: V1 Soya: VC-V1
	500 ml/ha	Second application: Dry beans: R1-R3 Groundnuts: R1-R3 Soya: V2-R1
Grapes (Solano)	0.75% / ha	Three dilute applications: 1. 3-4 mm berry size 2. 5-6 mm berry size 3. 9-10 mm berry size Apply with 1000 l water / ha
Maise	500 ml/ha	In furrow at plant &/or post-emergence at 4-8 leaf stage
Wheat	500 ml/ha 500 ml/ha	4-8 leaf stage Flag leaf stage

For more information contact your nearest
Metson Manufacturing Regional Manager

DISCLAIMER / CONDITIONS OF SALE:

This product is manufactured and tested to specific standards and is sold in good faith. However, no guarantee is given as conditions and methods under which they are used are beyond the control of the manufacturer. Before using, the user should determine the suitability of the product for his/ her intended use and the user assumes the risk and liability in connection therewith.